



Price List in euros(€)













2022

Valid from 04/1/2022 to 09/30/2022

Due to the current increase in raw materials, MELJAC reserves the right to modify, without notice, the period of validity of its prices. Please contact us.

www.unifit.nl



CLASSIQUE	ELLIPSE	DAMIER	CANNELÉE	SOLARIS
				
p.2	p.19	p.26	p.28	p.31
TOURNAIRE	SOL	VOLUMES	PIERROT	PLEXIGLASS
				
p.35	p.37	p.40	p.45	p.47
LIMOGES	CRESTRON CONNECTED	SPOTS	TECHNICAL INFORMATION	
CLASSIQUE ELLIPSE			Materials & finishes General Options p.57	Mecanisms Back boxes Without screws p.63
			TERMS & CONDITIONS OF SALE	
p.49	p.53	p.55	p.71	

Characteristics of the collections

	Materials and thickness														
	Controls elements				Brass		Glass	Plexiglass	Porcelain	Edges			Screws		
	V&V	Inv auto	BP	BPE	3mm	5,5mm	6mm	4mm	3mm	3mm	Chamfer	Straight	Special	With screws	Screwless
Classique	✓	✓	✓	✓	✓						✓	UR	UR	✓	Option
Ellipse	✓	✓	✓		✓						UR	✓	UR	✓	Option
Damier			✓		✓						UR	✓	UR	UR	✓
Cannelée	✓	✓	✓			✓							✓		✓
Solaris	✓	✓	✓		✓								✓		✓
Tournaire	✓	✓	✓				✓						✓		✓
Sol							✓					✓			✓
Pierrot	✓	✓	✓	✓				✓			✓			✓	
Plexiglass	✓	✓	✓	✓					✓		✓			✓	
Limoges Classique	✓	✓	✓	✓						✓		✓			✓

UR : upon request

CLASSIQUE Collection

Specifications

General

- Switches, reading lamps and sockets
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed (*except for low current*)
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick (*except for shaver socket*)
- With chamfer and visible screws (*except for shaver socket*)
- **Screwless option available for some models – please contact us. Prices for backplates – p. 70**
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (*p.57*)

Control mechanisms

- Round base - Droplet lever or push button
- Chrome-plated on cold and special finishes, golden on warm finishes
- Automatic connection by default, screw connection on request


Sizes & back boxes

Sizes (in mm)	Recommended back boxes
Ø98 - 80x80 - 115x80 - 142x80 205x80 - 267x80	Mixed MELJAC, for dry partition and masonry
38x91 - 38x133 - 38x175	Narrow MELJAC, for masonry only
56x56 - Ø56	LEGRAND 89246, for masonry only
Oval - Hexagonal - Octagonal	LEGRAND 80051, for dry partition only


Can be adapted for other retail boxes: please contact us

How to fix?

The covering plate is directly screwed onto the back box.




Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
 		80x80x3	1 control element 2 control elements	FC3008A-A1100010 FC3008A-A1100021	84,02 103,53	88,22 108,71	100,82 124,24
 		80x80x3	1 Electronic Dimmer NU3516 1 Universal Dimmer S520519	FC3008A-K1000023 FC3008A-K1000022	271,23 210,37	284,79 220,89	325,48 252,44
 		80x80x3	1 Thermostat Leg 76720 1 Thermostat Leg with selector	FC3008A-K1000120 FC3008A-K1000124	475,01	498,76	570,01




Prices 04/22 in euros
without VAT


Control elements examples with options



Fittings	Reference	Price from
1 BP	FC3008A-A1100010	84,02
Engraving 1 word	FZ9999Z-ZGR001M99	+ 15,00



Fittings	Reference	Price from
2 BP	FC3008A-A1100021	103,53
Engraving 1 word	FZ9999Z-ZGR0001M99	+ 15,00
Engraving 1 additional symbol	FZ9999Z-ZGR1001S99	+ 5,00




Fittings	Reference	Price from
1 BP + 1 V&V	FC3008A-A1100021	103,53
1 LED indicator	FZLED1Z-Z00D301299	+ 13,68

CLASSIQUE



Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
	●	80x80x3	Blank	FC3008A-B0000000	64,51	67,74	77,41
	●	80x80x3	1 PC 2x10/16A+T	FC3008A-B0000010	87,43	91,80	104,92
			1 PC + Cover	FC3008A-F0000010	185,11	194,37	222,13
	●	80x80x3	1 universal PC Wonpro	FC3008A-W5000010	97,34	102,21	116,81
			1 universal PC Wonpro + Cover	FC3008A-F5000010	195,02	204,77	254,02
	●	80x80x3	1 DIN base	FC3008A-B0001621	81,38	85,45	97,66
			2 DIN bases	FC3008A-B0001631	98,25	103,16	117,90
	●	80x80x3	1 Speaker	FC3008A-B0001540	94,77	99,51	113,72
	●	80x80x3	2 Flush RCA sockets	FC3008A-B0001870	132,59	139,22	159,11
	●	80x80x3	1 TV outlet	FC3008A-B0001700	73,51	77,19	88,21
			2 TV outlets	FC3008A-B0001710	82,52	86,65	99,02
	●	80x80x3	1 TV-FM-SAT	FC3008A-B0000570	123,51	129,69	148,21
	●	80x80x3	1 HDMI	FC3008A-B0001460	102,97	108,12	123,56
			2 HDMI	FC3008A-B0001470	141,42	148,49	169,70
	●	80x80x3	1 RJ45	FC3008A-B0000730	99,21	104,17	119,05
			2 RJ45	FC3008A-B0000740	133,92	140,62	160,70
	●	80x80x3	1 A or C USB power	FC3008A-B0001211	156,36	164,18	187,63
			1 double AA, CC or AC USB power	FC3008A-B0001221	160,01	168,01	192,01
			1 A or C USB F/F adaptor	FC3008A-B0001220	248,21	260,62	297,85
			2 AA, CC ou AC USB F/F adaptators	FC3008A-B0001220	137,05	143,90	164,46
	●	80x80x3	1 Cable outlet	FC3008A-B0001290	70,85	74,39	85,02
			1 Cable lead-out	FC3008A-B0001370	155,50	163,28	186,60
			1 Brush cable lead-out	FC3008A-B0001292	91,94	96,54	110,33

Prices 04/22 in euros
without VAT

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		Ø98x3	1 control element	FC3009A-A1100010	111,88	117,47	134,26
			2 control elements	FC3009A-A1100021	131,39	137,96	157,67
		Ø98x3	Blank	FC3009A-B0000000	92,38	97,00	110,86
		Ø98x3	1 PC 2x10/16A+T	FC3009A-B0000010	115,30	121,07	138,36
		Ø98x3	1 DIN base	FC3009A-B0001621	109,24	114,70	131,09
			2 DIN bases	FC3009A-B0001631	126,11	132,42	151,33
		Ø98x3	1 Speaker	FC3009A-B0001540	122,63	128,76	147,16
		Ø98x3	2 Flush RCA sockets	FC3009A-B0001870	160,46	168,48	192,55
		Ø98x3	1 TV outlet	FC3009A-B0001700	101,38	106,45	121,66
			2 TV outlets	FC3009A-B0001710	110,38	115,90	132,46
		Ø98x3	1 TV-FM-SAT	FC3009A-B0000570	151,38	158,95	181,66
		Ø98x3	1 HDMI	FC3009A-B0001460	130,83	137,37	157,00
		Ø98x3	1 RJ45	FC3009A-B0000730	127,08	133,43	152,50
			2 RJ45	FC3009A-B0000740	161,78	169,87	194,14
		Ø98x3	1 A or C USB power	FC3009A-B0001211	184,22	193,43	221,06
			1 double AA, CC or AC USB power	FC3009A-B0001221	187,87	197,26	225,44
		Ø98x3	1 Cable outlet	FC3009A-B0001290	98,71	103,65	118,45
			1 Cable lead-out	FC3009A-B0001370	183,37	192,54	220,04




Prices 04/22 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		56x56x3	1 V&V or 1 BP (AM)	FC3013A-A1100010	78,03	81,93	93,64
		Ø56x3	1 V&V or 1 BP (AM)	FC3014A-A1100010	90,40	94,92	108,48
		Hexagonal shape	1 control element	FC3015A-A1100010	108,64	114,07	130,37
		Octagonal shape	1 control element	FC3016A-A1100010	108,64	114,07	130,37
		Oval shape	1 control element	FC3017A-A1100010	108,64	114,07	130,37
		38x91x3	1 control element	FC3011A-A1100010	84,02	88,22	100,82
		38x133x3	1 control element	FC3010A-A1100010	90,88	95,42	109,06
			2 control elements	FC3010A-A1100020	110,39	115,91	132,47
		38x175x3	3 control elements	FC3012A-A1100030	148,18	155,59	177,82


Prices 04/22 in euros
without VAT

CLASSIQUE


Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		38x91x3	1 12V-mini BP chromé	FC3011A-K3000070	85,54	89,82	102,65
			2 12V-mini BP chromé	FC3011A-K3000080	106,58	111,91	127,90
			3 12V-mini BP chromé	FC3011A-K3000090	127,61	133,99	153,13
			4 12V-mini BP chromé	FC3011A-K3000100	148,65	156,08	178,38
		38x133x3	1 12V-mini BP chromé	FC3010A-K3000070	92,41	97,03	110,89
			2 12V-mini BP chromé	FC3010A-K3000080	113,44	119,11	136,13
			3 12V-mini BP chromé	FC3010A-K3000090	134,48	141,20	161,38
			4 12V-mini BP chromé	FC3010A-K3000101	155,51	163,29	186,61
		38x133x3	5 12V-mini BP chromé	FC3010A-K3000110	176,55	185,38	211,86
			6 12V-mini BP chromé	FC3010A-K3000120	197,58	207,46	237,10
			7 12V-mini BP chromé	FC3010A-K3000130	218,62	229,55	262,34
			8 12V-mini BP chromé	FC3010A-K3000140	239,65	251,63	287,58
	* See box	Ø8x4,5 mm	Flat caps	FZCAP0Z-K3000010	22,01	23,11	26,40
			Rounded cap	FZCAP0Z-K3000020			

* For more aesthetics and comfort, flat or rounded caps can be placed on buttons.


Prices 04/22 in euros
without VAT

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		80x115x3	1 control element	FC3001A-A1100010	90,88	95,42	109,06
			2 control elements	FC3001A-A1100020	110,39	115,91	132,47
			3 control elements in triangle	FC3001A-A1100031	129,90	136,40	155,88
			3 BP or 3 BPE in line	FC3001A-A1100090	129,90	136,40	155,88
			4 control elements	FC3001A-A1100040	149,41	156,88	179,29


Control elements examples with options



Fittings	Reference	Prices from
2 BP	FC3001A-A1100020	110,39
Light engraving	FZ9999Z-ZGLU00199	+ 83,68
Additional light engraving	FZ9999Z-ZGLU100199	+ 39,23




Fittings	Reference	Prices from
1 Inv auto + 3 BP	FC3001A-A1100040	149,41
Engraving 2 triangles	FZ9999Z-ZGR0002T99	+ 15,00
Engraving 1 additional word	FZ9999Z-ZGR1001M99	+ 5,00
Resin engraving	FZ9999Z-ZR00001M99	+ 26,00



80x115x3

1 Electronic Dimmer NU3516	FC3001A-K1000023	278,09	291,99	333,71
1 Universal Dimmer S520519	FC3001A-K1000022	217,24	228,10	260,69



80x115x3

1 Thermostat Leg 76720	FC3001A-K1000120	} 481,88	505,97	578,26
1 Thermostat Leg with selector	FC3001A-K1000124			
1 Thermostat DANFOSS ECTEMP530	FC3001A-K1000110	684,33	718,55	821,20
1 Thermostat DANFOSS ECTEMP530 on plate	FC3001A-K1000111	497,21	522,07	596,65








80x115x3

1 Motion detector Leg. 67026	FC3001A-K1000132	372,04	390,64	446,45
------------------------------	------------------	--------	--------	--------

Prices 04/22 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
	●	115x80x3	Blank	FC3000A-B0000000	71,38	74,95	85,66
		115x80x3	1 PC 2x10/16A+T	FC3000A-B0000010	94,30	99,02	113,16
	●	115x80x3	1 PC + Cover (horizontal)	FC3000A-F0000010	191,97	201,57	230,36
		80x115x3	1 PC + Cover (vertical)	FC3001A-F0000010			
		115x80x3	1 universal PC Wonpro	FC3000A-W5000010	104,20	109,41	125,04
	●	115x80x3	1 DIN base	FC3000A-B0001621	88,24	92,65	105,89
			2 DIN bases	FC3000A-B0001631	105,11	110,37	126,13
	●	115x80x3	1 Speaker	FC3000A-B0001540	101,63	106,71	121,96
	●	115x80x3	2 Flush RCA sockets	FC3000A-B0001870	139,46	146,43	167,35
			3 Flush RCA sockets	FC3000A-B0001880	173,50	182,18	208,20
	●	115x80x3	1 TV outlet	FC3000A-B0001700	80,38	84,40	96,46
			2 TV outlets	FC3000A-B0001710	89,38	93,85	107,26
	●	115x80x3	1 TV-FM-SAT	FC3000A-B0000570	130,38	136,90	156,46
	●	115x80x3	1 HDMI	FC3000A-B0001460	109,83	115,32	131,80
	●	115x80x3	1 RJ45	FC3000A-B0000730	106,08	111,38	127,30
			2 RJ45	FC3000A-B0000740	140,78	147,82	168,94
	●	115x80x3	1 A or C USB power	FC3000A-B0001211	163,22	171,38	195,86
			1 double AA, CC or AC USB power	FC3000A-B0001221	166,87	175,21	200,24
			1 A or C USB F/F adaptor	FC3000A-B0001210	107,65	113,03	129,17

Plinth size possible
115x63x3
Contact us

Prices 04/22 in euros
without VAT

CLASSIQUE

Special plates	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
 		115x80x3	1 Cable outlet	FC3000A-B0001290	77,71	81,60	93,25
			1 Cable lead-out	FC3000A-B0001370	162,37	170,49	194,84
		86x160x12	LEGRAND Shaver socket with cover	FC1200A-K1000200	567,72	596,11	681,26
		X in dry partition:	1 LEGRAND 80052 back box	CBBBOIL-8005200099		10,57	
		X in masonry:	2 LEGRAND 80151 back boxes	CBBBOIL-8015100099		3,57	
		115x80x3	Vimar Shaver socket	FC3000A-B1001300	308,47	323,89	370,16
		80x115x3	HAGER key card switch	FC3001A-K1000180	364,04	382,24	436,85

Prices 04/22 in euros
without VAT

CLASSIQUE

Tulipe reading lamps	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		80x115x3	bend 0°	FC3001A-M1000020	354,43	372,15	425,32
			bend 135°	FC3001A-M1000010			
		80x115x3	bend 0° + 1 control element	FC3001A-M1000080	373,94	392,64	448,73
			bend 135° + 1 control element	FC3001A-M1000070			
		38x133x3	bend 0° + 1 control element	FC3010A-M1000080	373,94	392,64	448,73
			bend 135° + 1 control element	FC3010A-M1000070			
		80x115x3	bend 0° + 2 control elements	FC3001A-M1000380	393,45	413,12	472,14
			bend 135° + 2 control elements	FC3001A-M1000370			
		80x115x3	bend 0°	FC3001A-M1000050	354,43	372,15	425,32
			bend 135°	FC3001A-M1000040			
		80x115x3	bend 0° + 1 control element	FC3001A-M1000110	373,94	392,64	448,73
			bend 135° + 1 control element	FC3001A-M1000100			
		38x133x3	bend 0° + 1 control element	FC3010A-M1000110	373,94	392,64	448,73
			bend 135° + 1 control element	FC3010A-M1000100			
		80x115x3	bend 0° + 2 control elements	FC3001A-M1000410	393,45	413,12	472,14
			bend 135° + 2 control elements	FC3001A-M1000400			

Please see technical details
from page 53

Tulipe straight cone



Tulipe beveled cone



Prices 04/22 in euros
without VAT


CLASSIQUE

Roseau reading lamps	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
 		80x115x3	bend 0°	FC3001A-M2000020	304,43	319,65	365,32
			bend 135°	FC3001A-M2000010			
 		80x115x3	bend 0° + 1 control element	FC3001A-M2000080	323,94	340,14	388,73
			bend 135° + 1 control element	FC3001A-M2000070			
 		38x133x3	bend 0° + 1 control element	FC3010A-M2000080	323,94	340,14	388,73
			bend 135° + 1 control element	FC3010A-M2000070			
 		80x115x3	bend 0° + 2 control elements	FC3001A-M2000380	343,45	360,62	412,14
			bend 135° + 2 control elements	FC3001A-M2000370			



Tactile reading lamps

 		80x115x3	bend 0° + 1 LED	FC3001A-M3000020	442,11	464,22	530,53
			bend 135° + 1 LED	FC3001A-M3000010			
 		38x133x3	bend 0° + 1 LED	FC3010A-M3000020	442,11	464,22	530,53
			bend 135° + 1 LED	FC3010A-M3000010			









Prices 04/22 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
     		80x142x3	1 control element	FC3003A-A1100010	109,16	114,62	130,99
			2 control elements	FC3003A-A1100020	128,67	135,10	154,40
			3 control elements	FC3003A-A1100030	148,18	155,59	177,82
			4 control elements	FC3003A-A1100040	167,69	176,07	201,23
			5 control elements	FC3003A-A1100050	187,20	196,56	224,64
			6 control elements	FC3003A-A1100060	206,71	217,05	248,05
 		80x142x3	1 PC + 1 control element	FC3003A-C0010010	132,08	138,68	158,50
			1 PC + 2 control elements	FC3003A-C0010020	151,59	159,17	181,91
 		80x142x3	1 Var E + 1 control element	FC3003A-K1000311	315,88	331,67	379,06
			1 Var E + 2 control elements	FC3003A-K1000330	335,38	352,15	402,46
 		142x80x3	1 PC + 1 control element	FC3002A-C0010010	132,08	138,68	158,50
			1 PC + 2 control elements	FC3002A-C0010020	151,59	159,17	181,91
 		142x80x3	1 Var E + 1 control element	FC3002A-K1000311	315,88	331,67	379,06
			1 Var E + 2 control elements	FC3002A-K1000330	335,38	352,15	402,46



Prices 04/22 in euros
without VAT

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
	●	142x80x3	Blank	FC3002A-B0000000	89,65	94,13	107,58
	●	142x80x3	2 PC 2x10/16A+T	FC3002A-B0000020	135,49	142,26	162,59
		142x80x3	2 PC + Covers (horizontal)	FC3002A-F0000020	} 330,85	347,39	397,02
		80x142x3	2 PC + Covers (vertical)	FC3003A-F0000020			
	●	142x80x3	1 PC + 1 DIN base	FC3002A-B0052640	129,44	135,91	155,33
			1 PC + 2 DIN bases	FC3002A-B0052710	146,31	153,63	175,57
	●	142x80x3	1 PC + 1 Speaker	FC3002A-B0047320	142,83	149,97	171,40
	●	142x80x3	1 PC + 1 TV outlet	FC3002A-B0058240	121,58	127,66	145,90
			1 PC + 2 TV outlets	FC3002A-B0058310	130,58	137,11	156,70
	●	142x80x3	1 PC + 1 TV-FM-SAT	FC3002A-B0007340	171,57	180,15	205,88
	●	142x80x3	1 PC + 1 RJ45	FC3002A-B0010640	147,28	154,64	176,74
			1 PC + 2 RJ45	FC3002A-B0010710	181,98	191,08	218,38
	●	142x80x3	1 RJ45 + 1 TV-FM-SAT	FC3002A-B0012600	183,36	192,53	220,03
	●	142x80x3	1 RJ45 + 1 TV outlet	FC3002A-B0060760	133,36	140,03	160,03
			1 RJ45 + 2 TV outlets	FC3002A-B0060830	142,36	149,48	170,83
	●	142x80x3	2 RJ45	FC3002A-B0000740	159,06	167,01	190,87
			3 RJ45	FC3002A-B0000750	193,76	203,45	232,51
	●	142x80x3	1 PC + 1 A or C USB power	FC3002A-B0028841	204,42	214,64	245,30
			1 PC + 1 double AA, CC or AC USB power	FC3002A-B0028911	208,07	218,47	249,68

Plinth size possible
142x63x3
Contact us

Prices 04/22 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		205x80x3	Blank	FC3004A-B0000000	145,07	152,32	174,08
		205x80x3	3 PC 2x10/16A+T	FC3004A-B0000030	213,83	224,52	256,60
		205x80x3	2 PC + 1 TV outlet	FC3004A-B0058250	199,91	209,91	239,89
		205x80x3	2 PC + 2 TV outlets	FC3004A-B0058320	208,92	219,37	250,70
		205x80x3	2 PC + 1 TV-FM-SAT	FC3004A-B0007350	249,91	262,41	299,89
		205x80x3	1 PC + 1 TV outlet + 1 RJ45	FC3004A-B1631560	211,70	222,29	254,04
		205x80x3	1 PC + 2 TV outlets + 1 RJ45	FC3004A-B1631770	220,70	231,74	264,84
		205x80x3	1 PC + 1 TV-FM-SAT + 1 RJ45	FC3004A-B1051950	261,69	274,77	314,03
		205x80x3	2 PC + 1 RJ45	FC3004A-B0010650	225,61	236,89	270,73
		205x80x3	2 PC + 2 RJ45	FC3004A-B0010720	260,32	273,34	312,38
		205x80x3	1 PC + 1 USB + 1 RJ45	FC3004A-B1074640	294,54	309,27	353,45
		205x80x3	2 PC + 1 Type A USB power	FC3004A-B0028851	282,76	296,90	339,31
		205x80x3	2 PC + 1 double Type A USB power	FC3004A-B0028921	286,41	300,73	343,69
		267x80x3	Blank	FC3006A-B0000000	181,22	190,28	217,46
		267x80x3	4 PC 2x10/16A+T	FC3006A-B0000040	272,90	286,55	327,48
		267x80x3	3 PC + 1 TV outlet	FC3006A-B0058260	258,99	271,94	310,79
		267x80x3	3 PC + 2 TV outlets	FC3006A-B0058330	267,99	281,39	321,59
		267x80x3	3 PC + 1 TV-FM-SAT	FC3006A-B0007360	308,98	324,43	370,78
		267x80x3	2 PC + 1 TV outlet + 1 RJ45	FC3006A-B1631571	270,77	284,31	324,92
		267x80x3	2 PC + 2 TV outlets + 1 RJ45	FC3006A-B1631781	279,77	293,76	335,72
		267x80x3	2 PC + 2 RJ45	FC3006A-B0010720	296,47	311,29	355,76
		267x80x3	3 PC + 1 RJ45	FC3006A-B0010660	284,69	298,92	341,63
		267x80x3	3 PC + 2 RJ45	FC3006A-B0010730	319,39	335,36	383,27

Prices 04/22 in euros
without VAT

CLASSIQUE - Export standard sockets

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
  	●	115x80x3	1 PC Schuko	FC3000A-B0000250	100,32	105,34	120,38
		115x80x3	1 PC Schuko + Cover (horizontal)	FC3000A-F0000250	} 197,99	207,89	237,59
		80x115x3	1 PC Schuko + Cover (vertical)	FC3001A-F0000250			
 	●	115x80x3	1 PC Unel (Schuko + Bipasso)	FC3000A-B0000490	128,65	135,08	154,38
			1 PC Unel + 1 PC Bipasso	FC3000A-B0084980	169,26	177,72	203,11
  	●	115x80x3	1 PC Bipasso	FC3000A-B0000410	111,98	117,58	134,38
			2 PC Bipasso	FC3000A-B0000420	152,59	160,22	183,11
			3 PC Bipasso	FC3000A-B0000430	193,20	202,86	231,84
 	●	80x80x3	1 PC Schuko	FC3008A-B0000250	93,45	98,12	112,14
			1 PC Schuko + Cover	FC3008A-F0000250	191,13	200,69	229,36
	●	80x80x3	1 PC Unel (Schuko + Bipasso)	FC3008A-B0000490	121,79	127,88	146,15
 	●	80x80x3	1 PC Bipasso	FC3008A-B0000410	105,12	110,38	126,14
			2 PC Bipasso	FC3008A-B0000420	145,73	153,02	174,88
	●	Ø98x3	1 PC Schuko	FC3009A-B0000250	121,32	127,39	145,58
	●	Ø98x3	1 PC Unel (Schuko + Bipasso)	FC3009A-B0000490	149,65	157,13	179,58
 	●	Ø98x3	1 PC Bipasso	FC3009A-B0000410	132,98	139,63	159,58
			2 PC Bipasso	FC3009A-B0000420	173,59	182,27	208,31

Prices 04/22 in euros
without VAT

CLASSIQUE - Export standard sockets

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		142x80x3	1 PC Schuko + 1 control element	FC3002A-C1610010	138,10	145,01	165,72
			1 PC Schuko + 2 control elements	FC3002A-C1610020	157,61	165,49	189,13
		80x142x3	1 control element + 1 PC Schuko	FC3003A-C1610010	138,10	145,01	165,72
			2 control elements + 1 PC Schuko	FC3003A-C1610020	157,61	165,49	189,13
		142x80x3	2 PC Schuko	FC3002A-B0000260	147,54	154,92	177,05
		142x80x3	2 PC Schuko + Covers (horizontal)	FC3002A-F0000260	342,89	360,03	411,47
		80x142x3	2 PC Schuko + Covers (vertical)	FC3003A-F0000260			
		142x80x3	1 PC Schuko + 1 DIN base	FC3002A-B0053480	135,46	142,23	162,55
			1 PC Schuko + 2 DIN bases	FC3002A-B0053550	152,33	159,95	182,80
		142x80x3	1 PC Schuko + 1 Speaker	FC3002A-B0048160	148,85	156,29	178,62
		142x80x3	1 PC Schuko + 1 TV outlet	FC3002A-B0059080	127,60	133,98	153,12
			1 PC Schuko + 2 TV outlets	FC3002A-B0059150	136,60	143,43	163,92
		142x80x3	1 PC Schuko + 1 TV-FM-SAT	FC3002A-B0008000	177,59	186,47	213,11
		142x80x3	1 PC Schuko + 1 RJ45	FC3002A-B0011480	153,30	160,97	183,96
			1 PC Schuko + 2 RJ45	FC3002A-B0011550	188,00	197,40	225,60
		142x80x3	1 PC Schuko+ 1 A or C USB power	FC3002A-B0029681	210,44	220,96	252,53
			1 PC Schuko + 1 double AA, CC or AC USB power	FC3002A-B0029751	214,09	224,79	256,91
		142x80x3	1 PC Unel + 1 PC Bipasso	FC3002A-B0084980	187,54	196,92	225,05
			1 PC Unel + 2 PC Bipasso	FC3002A-B0085050	228,14	239,55	273,77

Prices 04/22 in euros
without VAT

CLASSIQUE - Export standard sockets

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		205x80x3	3 PC Schuko	FC3004A-B0000270	231,89	243,48	278,27
		205x80x3	2 PC Schuko + 1 TV outlet	FC3004A-B0059090	211,95	222,55	254,34
			2 PC Schuko + 2 TV outlets	FC3004A-B0059160	220,96	232,01	265,15
		205x80x3	2 PC Schuko + 1 TV-FM-SAT	FC3004A-B0008010	261,95	275,05	314,34
		205x80x3	1 PC Schuko + 1 TV outlet + 1 RJ45	FC3004A-B1633240	217,72	228,61	261,26
			1 PC Schuko + 2 TV outlets + 1 RJ45	FC3004A-B1633450	226,72	238,06	272,06
		205x80x3	1 PC Schuko + 1 TV-FM-SAT + 1 RJ45	FC3004A-B1053510	267,71	281,10	321,25
		205x80x3	2 PC Schuko + 1 RJ45	FC3004A-B0011490	237,66	249,54	285,19
			2 PC Schuko + 2 RJ45	FC3004A-B0011560	272,36	285,98	326,83
		205x80x3	2 PC Schuko + 1 Type A USB power	FC3004A-B0029691	294,80	309,54	353,76
			2 PC Schuko + 1 double Type A USB power	FC3004A-B0029761	298,45	313,37	358,14
		267x80x3	4 PC Schuko	FC3006A-B0000280	296,99	311,84	356,39
		267x80x3	3 PC Schuko + 1 TV outlet	FC3006A-B0059100	277,05	290,90	332,46
			3 PC Schuko + 2 TV outlets	FC3006A-B0059170	286,05	300,35	343,26
		267x80x3	3 PC Schuko + 1 TV-FM-SAT	FC3006A-B0008020	327,04	343,39	392,45
		267x80x3	2 PC Schuko + 1 TV outlet + 1 RJ45	FC3006A-B1633250	282,81	296,95	339,37
			2 PC Schuko + 2 TV outlets + 1 RJ45	FC3006A-B1633460	291,81	306,40	350,17
		267x80x3	2 PC Schuko + 2 RJ45	FC3006A-B0011560	308,51	323,94	370,21
			3 PC Schuko + 1 RJ45	FC3006A-B0011500	302,75	317,89	363,30
			3 PC Schuko + 2 RJ45	FC3006A-B0011570	337,45	354,32	404,94

Prices 04/22 in euros
without VAT

ELLIPSE Collection

Specifications

General

- Switches, reading lamps and sockets
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges and visible screws
- **Screwless option available for some models – please contact us. Prices for backplates – p. 70**
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.57)

Control mechanisms

- Elongated base - Ellipse, Seattle or JMA lever (with additional charge) and lighting option or oblong push button
- Chrome-plated on cold and special finishes, golden on warm finishes
- Automatic connection by default, screw connection on request

Sizes & Back boxes

Sizes (in mm)	Recommended back boxes
Ø98 - 80x80 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry
38x133	Narrow MELJAC, for masonry only

Can be adapted for other retail boxes: please contact us


How to fix?

The covering plate is directly screwed onto the back box.



BVCert. 6012053

19



Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		80x80x3	1 control element	FE3008B-A1100010	119,64	125,62	143,57
			2 control elements	FE3008B-A1100021	174,77	183,51	209,72
		Ø98x3	1 control element	FE3009B-A1100010	147,51	154,89	177,01
			2 control elements	FE3009B-A1100021	202,64	212,77	243,17

Control elements



V&VInv autoBP

Prices for Ellipse and
Seattle toggles only

JMA lever: 25 € additional
charge



3 toggle designs





	Additional charges				
	Fittings		Bespoke options		
	Gold or chrome standard version	Chromé vif or gilding	Other color chart finishes	Polished mirror effect	Backlit
Ellipse lever	✓		✓ from 15,00	Or ✓ + 35,00	+ ✓ + 17,28
Seattle lever	✓		✓ from 15,00	Or ✓ + 35,00	+ ✓ + 17,28
JMA lever		✓ + 25,00			

Prices 04/22 in euros
without VAT

ELLIPSE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		80x115x3	1 control element	FE3001B-A1100010	126,51	132,84	151,81
			2 control elements	FE3001B-A1100020	181,64	190,72	217,97
				3 control elements in triangle	FE3001B-A1100031	236,77	248,61
		80x115x3	4 control elements	FE3001B-A1100040	291,90	306,50	350,28
		38x91x3	1 control element	FE3011B-A1100010	119,64	125,62	143,57
		38x133x3	1 control element	FE3010B-A1100010	126,51	132,84	151,81
			2 control elements	FE3010B-A1100020	181,64	190,72	217,97
		38x175x3	3 control elements	FE3012B-A1100030	255,04	267,79	306,05

Prices 04/22 in euros
without VAT

Tulipe reading lamps	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
 STRAIGHT CONE	●	80x115x3	bend 0° bend 135°	FE3001B-M1000020 FE3001B-M1000010	354,43	372,15	425,32
	●	80x115x3	bend 0° + 1 control element bend 135° + 1 control element	FE3001B-M1000080 FE3001B-M1000070	409,56	430,04	491,47
		38x133x3	bend 0° + 1 control element bend 135° + 1 control element	FE3010B-M1000080 FE3010B-M1000070	409,56	430,04	491,47
	●	80x115x3	bend 0° + 2 control elements bend 135° + 2 control elements	FE3001B-M1000380 FE3001B-M1000370	464,69	487,92	557,63
 BEVELED CONE	●	80x115x3	bend 0° bend 135°	FE3001B-M1000050 FE3001B-M1000040	354,43	372,15	425,32
	●	80x115x3	bend 0° + 1 control element bend 135° + 1 control element	FE3001B-M1000110 FE3001B-M1000100	409,56	430,04	491,47
		38x133x3	bend 0° + 1 control element bend 135° + 1 control element	FE3010B-M1000110 FE3010B-M1000100	409,56	430,04	491,47
	●	80x115x3	bend 0° + 2 control elements bend 135° + 2 control elements	FE3001B-M1000410 FE3001B-M1000400	464,69	487,92	557,63

Please see technical details
from page 53




Tulipe straight cone




Tulipe beveled cone



Prices 04/22 in euros
without VAT

Roseau reading lamps	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
 		80x115x3	bend 0°	FE3001B-M2000020	304,43	319,65	365,32
			bend 135°	FE3001B-M2000010			
 		80x115x3	bend 0° + 1 control element	FE3001B-M2000080	359,56	377,54	431,47
			bend 135° + 1 control element	FE3001B-M2000070			
 		38x133x3	bend 0° + 1 control element	FE3010B-M2000080	359,56	377,54	431,47
			bend 135° + 1 control element	FE3010B-M2000070			
 		80x115x3	bend 0° + 2 control elements	FE3001B-M2000380	414,69	435,42	497,63
			bend 135° + 2 control elements	FE3001B-M2000370			



Prices 04/22 in euros
without VAT

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		80x142x3	3 control elements	FE3003B-A1100030	255,04	267,79	306,05
		80x142x3	4 control elements	FE3003B-A1100040	310,17	325,68	372,20
		80x142x3	5 control elements	FE3003B-A1100050	365,30	383,57	438,36
		80x142x3	6 control elements	FE3003B-A1100060	420,43	441,45	504,52
		80x142x3	1 control element + 1 PC	FE3003B-C0010010	167,70	176,09	201,24
			2 control elements + 1 PC	FE3003B-C0010020	222,83	233,97	267,40
		80x142x3	1 control element + Var E	FE3003B-K1000311	351,50	369,08	421,80
			2 control elements + 1 Var E	FE3003B-K1000330	335,38	352,15	402,46
		142x80x3	1 PC + 1 control element	FE3002B-C0010010	167,70	176,09	201,24
			1 PC + 2 control elements	FE3002B-C0010020	222,83	233,97	267,40
		142x80x3	1 Var E + 1 control element	FE3002B-K1000311	351,50	369,08	421,80
			1 Var E + 2 control elements	FE3002B-K1000330	406,63	426,96	487,96

Prices 04/22 in euros
without VAT

ELLIPSE - EXPORT STANDARD SOCKETS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		142x80x3	1 PC Schuko + 1 control element	FE3002B-C1610010	173,72	182,41	208,46
		142x80x3	1 PC Schuko + 2 control elements	FE3002B-C1610020	228,85	240,29	274,62
		80x142x3	1 control element + 1 PC Schuko	FE3003B-C1610010	173,72	182,41	208,46
		80x142x3	2 control elements + 1 PC Schuko	FE3003B-C1610020	228,85	240,29	274,62

Prices 04/22 in euros
without VAT

DAMIER COLLECTION

Specifications

General

- Collection designed for low voltage 12V currents (home automation) and adaptable to high voltage 230V upon request
- Protection index: IP20 (IP21 on request)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- *With straight edges and non-visible screws (possible with visible screws: contact us)*
- *Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.57)*

Control mechanisms

- Square push button 14x14mm in relief or flush
- Other button shapes possible (round, oval, triangular, rectangular...)
- In the same finish as the covering plate
- Screw connection

Sizes & back boxes

Sizes (in mm)

Back box

80x80 - 115x80 - 142x80


Mixed MELJAC, for dry partition and masonry





How to fix?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.



BVCert. 6012053




Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		80x80x3	1 BP	FK3008D-K2000130	151,51	159,09	181,81
			2 BP	FK3008D-K2000140	179,51	188,49	215,41
			4 BP	FK3008D-K2000160	233,51	245,19	280,21
		80x115x3	1 BP	FK3001D-K2000130	158,38	166,30	190,06
			2 BP	FK3001D-K2000140	186,38	195,70	223,66
			3 BP	FK3001D-K2000150	214,38	225,10	257,26
			4 BP	FK3001D-K2000160	240,38	252,40	288,46
		80x142x3	3 BP	FK3003D-K2000150	238,65	250,58	286,38
			4 BP	FK3003D-K2000160	264,65	277,88	317,58
			5 BP	FK3003D-K2000170	300,65	315,68	360,78
			6 BP	FK3003D-K2000180	336,65	353,48	403,98
		80x142x3	1 BP + 1 PC	FK3003D-K2500130	205,57	215,85	246,68
			2 BP + 1 PC	FK3003D-K2500140	233,57	245,25	280,28

To specify :
 - BP in 12V or 230V
 - BP in relief or flush


Button shapes available




Square



Triangle



Round



Rectangle



Oval

Back-lighting option:



See page 62

Prices 04/22 in euros
 without VAT

CANNELÉE COLLECTION

Designed by Jean-Michel WILMOTTE

Specifications

General

- Switches, reading lamps and sockets (variation only with push buttons or automatic switches)
- Protection index: *IP20*
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 5,5mm thick
- With straight edges and non-visible screws
- Different designs are possible on this mount (see page 57)

Control mechanisms

- Elongated base - Ellipse, Seattle or JMA lever or oblong push button
- Chrome-plated on cold and special finishes, golden on warm finishes
- Automatic connection by default, screw connection on request

Sizes & Back boxes

Sizes (in mm)

80x80 - 151x80

Recommended back boxes


Type LEGRAND 80051 / LEGRAND 80052

How to fix?


The mounting plate with mechanisms screws directly onto the back box.
The covering plate is magnetized onto the mounting plate.




BVCert. 6012053



CANNELÉE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	*Cold finishes	*Warm finishes	*Special finishes	*Available finishes =  page 57
		80x80x5,5	1 control element	FW5017K-A1100010	160,89	168,93	193,07	
		80x80x5,5	2 control elements	FW5017K-A1100021	242,38	254,50	290,86	
		80x80x5,5	1 PC 2x10/16A+T	FW5017K-B0000010	111,57	117,15	133,88	
		80x80x5,5	1 RJ45	FW5017K-B0000730	128,95	135,40	154,74	
		80x80x5,5	1 USB socket	FW5017K-B0001211	180,33	189,35	216,40	
		80x80x5,5	1 cable outlet	FW5017K-B0001290	111,52	117,10	133,82	
		80x80x5,5	1 TV outlet	FW5017K-B0001700	111,19	116,75	133,43	
		80x80x5,5	Tactile reading lamp - bend 0°	FW5017K-M3000020	446,34	468,66	535,61	
		80x80x5,5	Tactile reading lamp - bend 135°	FW5017K-M3000010				
		151x80x5,5	3 control elements	FW5022K-A1100032	374,05	392,75	448,86	
		151x80x5,5	4 control elements	FW5022K-A1100042	455,54	478,32	546,65	
		151x80x5,5	5 control elements	FW5022K-A1100052	537,03	563,88	644,44	

Control elements:



3 lever designs



Ellipse lever



Seattle lever



JMA lever



options: see page 20

Prices for Ellipse and
Seattle toggles only

JMA lever:
25 € additional charge

Prices 04/22 in euros
without VAT

CANNELÉE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	*Cold finishes	*Warm finishes	*Special finishes	*Available finishes =  page 57
		151x80x5,5	2 PC 2x10/16A+T	FW5022K-B0000020	193,93	203,63	232,72	
		151x80x5,5	2 RJ45	FW5022K-B0000740	228,69	240,12	274,43	
			3 RJ45	FW5022K-B0000750	278,24	292,15	333,89	
		151x80x5,5	1 PC + 1 control element	FW5022K-C0010010	243,25	255,41	291,90	
		151x80x5,5	1 PC + 2 control elements	FW5022K-C0010020	324,73	340,97	389,68	
		151x80x5,5	1 PC + 1 RJ45	FW5022K-B0010640	211,31	221,88	253,57	
			1 PC + 2 RJ45	FW5022K-B0010710	260,86	273,90	313,03	
		151x80x5,5	1 PC + 1 USB socket	FW5022K-B0028840	200,10	210,11	240,12	
		151x80x5,5	1 PC + 1 TV outlet	FW5022K-B0058240	193,54	203,22	232,25	
			1 PC + 2 TV outlets	FW5022K-B0058310	225,32	236,59	270,38	
		151x80x5,5	1 control element + 1 tactile reading lamp- bend 0°	FW5022K-M3000140				
			1 control element + 1 tactile reading lamp- bend 135°	FW5022K-M3000130	578,01	606,91	693,61	

Silkscreen printing option,
contact us



See page 60

Prices 04/22 in euros
without VAT

SOLARIS COLLECTION

Designed by Marc NEWSON

Specifications

General

- Designed for low voltage (smart homes), can be adapted for line voltage
- Switches and sockets (variation only with push buttons or automatic switches)
- Protection index: IP20
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges, rounded corners and non-visible screws
- Different finishes are possible (see page 57)

Control mechanisms

- Round base - Flattened toggle or flush concave push button
- Toggle in the same colour as the plate, shiny black base ring, black push button
- Automatic connection by default, screw connection on request


Sizes & Back boxes

Sizes (in mm)	Back boxes
84x84 - 84x120 - 84x144 - 210x84	Mixed MELJAC, for dry partition and masonry

How to fix?

The mounting plate with mechanisms screws directly onto the back box.


The covering plate is clipped onto the mounting plate.



ORIGINE
FRANCE®
GARANTIE

BVCert, 6012053





Diagrams	Back box colour	Size (mm)	Fittings	Reference	*Cold finishes	*Warm finishes	*Special finishes	*Available finishes =  page 57
 		84x84x3	1 BP	FJ3208M-K2500070	172,94	181,59	207,53	
			2 BP	FJ3208M-K2500080	202,34	212,46	242,81	
 		84x84x3	1 lever	FJ3208M-A1100010	191,98	201,58	230,38	
			2 levers	FJ3208M-A1100020	276,12	289,93	331,34	
		84x84x3	1 lever + 1 BP	FJ3208M-K2500130	257,08	269,93	308,50	
  		84x120x3	1 BP	FJ3201M-K2500070	182,80	191,94	219,36	
			2 BP	FJ3201M-K2500080	212,20	222,81	254,64	
			4 BP	FJ3201M-K2500100	253,78	266,47	304,54	
  		84x120x3	1 lever	FJ3201M-A1100010	201,83	211,92	242,20	
			2 levers	FJ3201M-A1100020	285,97	300,27	343,16	
			4 levers	FJ3201M-A1100040	454,24	476,95	545,09	
 		84x120x3	1 lever + 1 BP	FJ3201M-K2500130	266,93	280,28	320,32	
			3 BP + 1 lever	FJ3201M-K2500170	313,34	329,01	376,01	
 		84x120x3	2 BP + 2 levers	FJ3201M-K2500140	380,47	399,49	456,56	
			1 BP + 3 levers	FJ3201M-K2500160	435,21	456,97	522,25	
  		120x84x3	1 BP	FJ3200M-K2500070	184,55	193,78	221,46	
			2 BP	FJ3200M-K2500080	213,95	224,65	256,74	
			4 BP	FJ3200M-K2500100	255,53	268,31	306,64	
 		120x84x3	1 lever	FJ3200M-A1100010	203,59	213,77	244,31	
			2 levers	FJ3200M-A1100020	287,73	302,12	345,28	
		120x84x3	1 BP + 1 lever	FJ3200M-K2500130	268,69	282,12	322,43	



Prices 04/22 in euros
without VAT

Diagrams	Back box colour	Size (mm)	Fittings	Reference	*Cold finishes	*Warm finishes	*Special finishes	*Available finishes =  page 57
   		84x144x3	2 BP	FJ3203M-K2500020	236,54	248,37	283,85	
			3 BP	FJ3203M-K2500030	253,55	266,23	304,26	
			4 BP	FJ3203M-K2500040	278,12	292,03	333,74	
			6 BP	FJ3203M-K2500120	346,16	363,47	415,39	
   		84x144x3	2 levers	FJ3203M-A1100020	310,32	325,84	372,38	
			3 levers	FJ3203M-A1100030	394,45	414,17	473,34	
			4 levers	FJ3203M-A1100040	478,59	502,52	574,31	
			6 levers	FJ3203M-A1100060	646,86	679,20	776,23	
		84x144x3	3 levers + 3 BP	FJ3203M-K2500150	505,96	531,26	607,15	
  		144x84x3	2 BP	FJ3202M-K2500020	236,54	248,37	283,85	
			3 BP	FJ3202M-K2500030	253,55	266,23	304,26	
			6 BP	FJ3202M-K2500120	346,16	363,47	415,39	
 		144x84x3	2 levers	FJ3202M-A1100020	310,32	325,84	372,38	
			3 levers	FJ3202M-A1100030	394,45	414,17	473,34	

Prices 04/22 in euros
without VAT

Diagrams	Back box colour	Size (mm)	Fittings	Reference	*Cold finishes	*Warm finishes	*Special finishes	*Available finishes =  page 57
		84x84x3	1 PC	FJ3208M-B0000010	130,76	137,30	156,91	
 		84x84x3	1 RJ45	FJ3208M-B0000730	142,55	149,68	171,06	
			2 RJ45	FJ3208M-B0000740	177,25	186,11	212,70	
 		84x84x3	1 A or C USB socket	FJ3208M-B0001211	199,69	209,67	239,63	
			1 AA, CC or AC double USB socket	FJ3208M-B0001221	203,34	213,51	244,01	
		144x84x3	1 PC + 1 control element	FJ3202M-C0010010	249,10	261,56	298,92	
		144x84x3	2 PC	FJ3202M-B0000020	187,89	197,28	225,47	
		144x84x3	1 PC + 1 RJ45	FJ3202M-B0010640	199,67	209,65	239,60	
 		144x84x3	1 PC + 1 A or C USB socket	FJ3202M-B0028841	256,81	269,65	308,17	
			1 PC + 1 AA, CC or AC double USB socket	FJ3202M-B0028911	260,46	273,48	312,55	
		210x84x3	3 PC	FJ3204M-B0000030	271,52	285,10	325,82	
		210x84x3	2 PC + 1 AA, CC or AC double USB socket	FJ3204M-B0028921	344,09	361,29	412,91	
		210x84x3	1 PC + 1 AA, CC or AC double USB socket + 1 RJ45	FJ3204M-B1214291	355,88	373,67	427,06	

Prices 04/22 in euros
without VAT

tournaire collection

Specifications

General

- Switches
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- 6mm-thick cast bronze (brass)
- With straight edges and non-visible screws
- 6 models replicating the six iconic motifs of the jewellery designer TOURNAIRE
- Three of the jewellery designer's 6 iconic motifs can be inlaid with precious stones:
Alchimie, Bas-relief and Engrenages.
- Exemple of finishes: Argent Patiné (G5), Nickel Vieilli, Nickel Noir Brillant, Dorure (1N), Bronze Moyen dépoli, Dorure (3N) Vieillie...

Control mechanisms

- Elongated base - Straight lever or Seattle lever with lighting option or push button
- Automatic connection by default, screw connection on request

Sizes & back boxes

Sizes (in mm)

85x115

Recommended back boxes

Mixed MELJAC, for dry partition and masonry

How to fix?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.



Mounting plate

Straight edges

Ellipse,
Seattle or
JMA toggle

Non-visible
screws

TOURNAIRE COLLECTION

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Special finishes
		85x115x6	1 control element	FA6003D-A1100010	783,00
		85x115x6	2 control elements	FA6003D-A1100020	889,00
		85x115x6	4 control elements	FA6003D-A1100040	1105,00

Control elements



V&V




Inv
auto



BP

On request :



Precious stones encrustation
(diamants, saphirs...)

Prices 04/22 in euros
without VAT


Pattern (to be specified when ordering)



Alchimie*



Origami



Construction



Catacombes



Bas-relief*



Engrenages*

*Models that can be set with precious stones.

SOL Collection

Specifications

General

- Sockets with water-resistant cover
- Protection index: IP44
- Products must be installed indoors and earthed (*except for low current*)
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 10mm thick (*14mm for international*)
- With straight edges and non-visible screws
- Water-resistant cover(s)
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.57)

Sizes & back boxes

Sizes (in mm)

Back boxes

Ø100 - 100x100 - 180x100 - 180x200	Water-resistant MELJAC with installation template, for masonry only
------------------------------------	---

How to fix?

The back box + installation template set must be sealed flush with the floor.
Then the installation template must be replaced by the covering plate with mechanisms and screws.





BVCert. 6012053





Water-resistant
cover

Straight edges

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		100x100x10	1 PC 2x10/16A+T	FS1000D-B0000010	562,79	590,93	675,35
			1 RJ45	FS1000D-B0000730	634,19	665,90	761,03
			1 TV outlet	FS1000D-B0001700	672,79	706,43	807,35
			2 TV outlets	FS1000D-B0001710	672,79	706,43	807,35
		Ø100x10	1 PC 2x10/16A+T	FS1003D-B0000010	558,59	586,52	670,31
			1 RJ45	FS1003D-B0000730	629,99	661,49	755,99
			1 TV outlet	FS1003D-B0001700	662,59	695,72	795,11
			2 TV outlets	FS1003D-B0001710	668,59	702,02	802,31
		180x100x10	2 PC 2x10/16A+T	FS1001D-B0000020	922,20	968,31	1106,64
			2 RJ45	FS1001D-B0000740	1065,00	1118,25	1278,00
			2 TV outlets	FS1001D-B0001710	1016,28	1067,09	1219,54
			1 PC + 1 RJ45	FS1001D-B0010640	993,60	1043,28	1192,32
			1 PC + 1 TV outlet	FS1001D-B0058240	1026,20	1077,51	1231,44
			1 RJ45 + 1 TV outlet	FS1001D-B0060760	1097,60	1152,48	1317,12
		180x200x10	4 PC 2x10/16A+T	FS1002D-B0000040	1828,56	1919,99	2194,27
			2 PC + 2 RJ45	FS1002D-B0010720	1971,36	2069,93	2365,63
			3 PC + 1 RJ45	FS1002D-B0010660	1899,96	1994,96	2279,95
			2 PC + 2 TV outlets	FS1002D-B0052720	2036,56	2138,39	2443,87
			3 PC + 1 TV outlet	FS1002D-B0052660	1932,56	2029,19	2319,07

Prices 04/22 in euros
without VAT

SOL - EXPORT STANDARD SOCKETS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		100x100x14	1 PC Schuko	FS1400D-B0000250	618,40	649,32	742,08
			1 RJ45	FS1400D-B0000730	686,78	721,12	824,14
			1 TV outlet	FS1400D-B0001700	719,38	755,35	863,26
			2 TV outlets	FS1400D-B0001710	839,30	881,27	1007,16
		Ø100x14	1 PC Schuko	FS1403D-B0000250	580,52	609,55	696,62
			1 RJ45	FS1403D-B0000730	648,90	681,35	778,68
			1 TV outlet	FS1403D-B0001700	681,50	715,58	817,80
			2 TV outlets	FS1403D-B0001710	687,50	721,88	825,00
		180x100x14	2 PC Schuko	FS1401D-B0000260	1001,68	1051,76	1202,02
			2 RJ45	FS1401D-B0000740	1138,44	1195,36	1366,13
			2 TV outlets	FS1401D-B0001710	1203,64	1263,82	1444,37
			1 PC Schuko + 1 RJ45	FS1401D-B0011480	1070,06	1123,56	1284,07
			1 PC Schuko + 1 TV outlet	FS1401D-B0059080	1102,66	1157,79	1323,19
			1 RJ45 + 1 TV outlet	FS1401D-B0060760	1171,04	1229,59	1405,25
		180x200x14	4 PC Schuko	FS1402D-B0000280	1964,67	2062,90	2357,60
			2 PC Schuko + 2 RJ45	FS1402D-B0011560	2101,43	2206,50	2521,72
			3 PC Schuko + 1 RJ45	FS1402D-B0011500	2033,05	2134,70	2439,66
			2 PC Schuko + 2 TV outlets	FS1402D-B0059160	2185,57	2294,85	2622,68
			3 PC Schuko + 1 TV outlet	FS1402D-B0059100	2065,65	2168,93	2478,78

To integrate any other mechanism, contact us.

Prices 04/22 in euros
without VAT

VOLUMES Collection

Specifications

General

- Switches, bells, power sockets
- Protection index: IP20
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Volume

- Solid brass
- Non-visible screws
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.57)

Control mechanisms


- Round base - Droplet lever or push button
- Chrome-plated on cold and special finishes, golden on warm finishes
Exception: for DOME, 1920, 1951 and rectangular bell block, BP is in the same finish as the object
- Screw connection

Sizes & back boxes

Sizes (in mm)	Recommended back boxes
Macaroons - 1920 - 1930 - 1951 - Dome Square and rectangular bell blocks	LEGRAND 89246, for masonry only
Skate - Palet	LEGRAND 80051, for dry partition only

How to fix?

The mounting plate screws directly onto the back box. Then the volume fitted mechanisms with snaps or screws onto the mounting plate. Except for 1951, 1920, rectangular bell block and macaroon, mechanisms are on the mounting plate.



ORIGINE
FRANCE®
GARANTIE

BV Cert. 6012053

VOLUMES

Bells		Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
SQUARE BELL BLOCK			L.48xI.48xH.17	1 BP 12V	FV9000Z-A1100070	233,27	244,93	279,92
1951			L.55xI.55xH.17	1 BP 12V	FV9001Z-A1100070	463,27	486,43	555,93
DOME			Ø55xH.36	1 BP 12V	FV9002Z-A1100070	297,63	312,51	357,16
1920			L.94xI.52xH.20	1 BP 12V	FV9018Z-A1100070	1080,01	1134,01	1296,02
RECTANGULAR BELL BLOCK			L.70xI.46xH.17	1 BP 12V	FV9004Z-A1100070	297,63	312,51	357,16
MACAROON			Ø50xH.23	1 BP 12V	FV9005Z-A1100070	163,99	172,20	196,79

L : length

W : width

H : height

Prices 04/22 in euros
without VAT

VOLUMES

Volumes to fix		Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
1930			Ø58xH.32	1 V&V 230V	FV9009Z-A1100010	219,16	230,12	262,99
				1 BP 230V	FV9009Z-A1100070	214,57	225,29	257,47
SKATE			L.80xl.38xH.110	1 V&V 230V	FV9010Z-A1100010	684,87	719,11	821,84
				1 BP 230V	FV9010Z-A1100070	680,26	714,27	816,31
PALET			Ø80xH.19	1 V&V 230V	FV9003Z-A1100010	263,81	277,00	316,58
				1 BP 230V	FV9003Z-A1100070	260,36	273,37	312,42

Volumes to put on

PYRAMID			B.105xH.60	1 BP 12V	FV9006Z-A1100070	936,70	983,53	1124,05
PAPER-WEIGHT			L.70xl.42xH.36	1 BP 230V	FV9007Z-A1100070	297,63	312,51	357,16
			L.103xl.42xH.36	2 BP 230V	FV9008Z-A1100080	361,79	379,88	434,14
			L.106xl.42xH.36	3 BP 230V	FV9011Z-A1100090	432,90	454,55	519,48

L : length

W : width

H : height

B : base

Prices 04/22 in euros
without VAT

VOLUMES

	Models to fix	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		B:L.180xL.180 H.146	4 sided power strip 2 PC + 1 RJ45 + 1 Double USB	FV9042Z-B1214300	1021,05	1072,09	1225,25
Z		L.268xL.114 H.139	Power strip 1 PC 2x10/16A+T + 1 universal outlet + 2 USB + 1 RJ45 Cable 2 m	FV9044Z-B1302010	2044,20	2146,40	2453,04
Pupitre		L.200xL.106 H.90	1 PC + 1 universal outlet + 1 double USB	FV9039Z-B1001500	898,85	943,79	1078,62

Other combinations on request. (PC, RJ45, USB, V&V, BP...), contact us

L : length

W : width

H : height

B : base

Prices 04/22 in euros
without VAT

VOLUMES

Models to put fix

		Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
CHARGEUR IPAD		L.140xL.142 H.119	Ipad charger support Interchangeable connector compatible with Ipad and Ipad mini	FV9026Z-B0002130	895,07	939,82	1074,08

Models to put on

CALYPSO		L.158xL.70 H.110	Power strip 2 PC 2x10/16A+T + 2 USB + 1 RJ45 Cable 2 m	FV9040Z-B1302010	766,00	804,3	919,20
---------	---	---------------------	--	------------------	--------	-------	--------

TOTEM		B:120x120 H.700	Power strip 4 PC 2x10/16A+T + 3 RJ45 Cable 2 m	FV9023Z-B0010800	1047,87	1100,27	1646,91
-------	--	--------------------	--	------------------	---------	---------	---------

L : length

W : width

H : height

B : base

Prices 04/22 in euros
without VAT

PIERROT Collection

Specifications

General

- Switches and sockets
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Toughened glass 4mm thick
- With chamfer and visible screws
- Choice of colour in the RAL colour chart

Control mechanisms

- Round base - Droplet lever or push button
- Chrome-plated or golden
- Automatic connection by default, screw connection on request

Sizes & back boxes

Sizes (in mm)

Ø98 - 80x80 - 115x80 - 80x142

Back boxes

Mixed MELJAC, for dry partition and masonry


How to fix?




The covering plate is directly screwed onto the back box.




BVCert. 6012053

45



Diagrams	Back box colour	Size (mm)	Fittings	Reference	Any RAL colour
		80x80x4	1 control element	FP4000A-A1100010	196,25
			2 control elements	FP4000A-A1100021	222,43
		80x80x4	1 PC	FP4108A-B0000010	154,21
			1 RJ45	FP4108A-B0000730	231,69
			1 USB	FP4108A-B0001211	271,93
 		Ø98x4	1 control element	FP4001A-A1100010	225,40
			2 control elements	FP4001A-A1100021	251,61
		Ø98x4	1 PC	FP4109A-B0000010	154,21
		80x115x4	1 control element	FP4003A-A1100010	207,54
			2 control elements	FP4003A-A1100020	233,61
		80x142x4	3 control elements in triangle	FP4005A-A1100031	379,96
			4 control elements	FP4005A-A1100040	438,87



Prices 04/22 in euros
without VAT

plexiglass products

Specifications

General

- Switches and sockets
- Protection index: IP20 (IP21 on request)
- Products must be installed indoors and earthed (except for low current)
- Cleaning only with a soft and dry duster

Covering plate

- Solid brass 3mm thick
- With chamfer and visible screws
- Transparent

Control mechanisms


- Round base - Droplet lever or push button
- Chrome-plated or golden
- Automatic connection by default, screw connection on request

Sizes & back boxes


Sizes (in mm)	Recommended back boxes
80x80 - 80x115 - 80x142 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry
38x91 - 38x133	Narrow MELJAC, for masonry only

How to fix?

The aluminum counterplate equipped with the mechanisms screws directly onto the wall-mounted housing. The plexi cover plate is fixed onto this counterplate with 2 screws. To be fitted beforehand: the cut wallpaper and the card provided.



Diagrams	Back box colour	Size (mm)	Fittings	Reference	Transparent
		80x80x3	1 control element	FX3008A-A1100010	82,01
			2 control elements	FX3008A-A1100021	95,47
		80x80x3	1 PC 2x10/16A+T	FX3008A-B0000010	80,52
		80x80x3	1 RJ45	FX3008A-B0000730	95,38
			2 RJ45	FX3008A-B0000740	146,83
		80x80x3	1 Type A USB socket	FX3008A-B0001211	168,49
			1 double Type A USB socket	FX3008A-B0001221	176,59
		38x91x3	1 control element	FX3011A-A1100010	81,81
		38x133x3	2 control elements	FX3010A-A1100020	98,71
		80x115x3	1 control element	FX3001A-A1100010	85,46
			2 control elements	FX3001A-A1100020	98,71
		115x80x3	1 PC 2x10/16A+T	FX3000A-B0000010	98,63
		115x80x3	1 RJ45	FX3000A-B0000730	117,93
			2 RJ45	FX3000A-B0000740	162,39
		115x80x3	1 Type A USB socket	FX3000A-B0001211	171,93
			1 double Type A USB socket	FX3000A-B0001221	180,08
		142x80x3	2 PC 2x10/16A+T	FX3002A-B0000020	148,86
		142x80x3	1 PC + 2 control elements	FX3002A-C0010020	166,27
		142x80x3	1 PC + 2 RJ45	FX3002A-B0010710	208,47
		142x80x3	1 PC + 1 double Type A USB socket	FX3002A-B0028911	214,20



Other types of sockets
available on demand

Other combinations of
mechanisms on request,
Please contact us

Prices 04/22 in euros
without VAT

LIMOGES CLASSIQUE Collection

Specifications

General

- Switches
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Limoges porcelain 3mm thick
- With straight edges and non-visible screws
- Porcelain glazed (*white colour by default, contact us for other colours*) or biscuit (*white colour only*)

Control mechanisms

- Round base - Droplet lever or push button
- Chrome-plated or golden
- Automatic connection by default, screw connection on request

Sizes & back boxes


Sizes (in mm)	Type of back box
80x80 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry
38x133	Narrow MELJAC, for masonry only

How to fix?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.




BVCert. 6012053



LIMOGES CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	White colour
 		80x80x3	1 control element	FL3008D-A1100010	153,78
			2 control elements	FL3008D-A1100020	209,83
 		80x115x3	1 control element	FL3001D-A1100010	168,01
			2 control elements	FL3001D-A1100020	227,59
 		80x142x3	3 V&V , Inv auto or BPE in triangle	FL3003D-A1100031	287,82
			3 BP in line	FL3003D-A1100090	
		80x142x3	4 control elements	FL3003D-A1100040	321,00
 		38x133x3	1 control element	FL3010D-A1100010	168,01
			2 control elements	FL3010D-A1100020	227,59



Prices 04/22 in euros
without VAT

LIMOGES ELLIPSE Collection

Specifications

General

- Switches
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Limoges porcelain 3mm thick
- With straight edges and non-visible screws
- Porcelain glazed (*white colour by default, contact us for other colours*) or biscuit (*white colour only*)

Control mechanisms

- Elongated base - Straight lever or Seattle lever with lighting option or oblong push button
- Chrome-plated or golden
- Automatic connection by default, screw connection on request

Sizes & back boxes


Sizes (in mm)	Type of back box
80x80 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry
38x133	Narrow MELJAC, for masonry only

How to fix?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.





BVCert. 6012053



LIMOGES ELLIPSE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	White colour
 		80x80x3	1 control element	FM3008D-A1100010	153,13
			2 control elements	FM3008D-A1100020	212,88
 		80x115x3	1 control element	FM3001D-A1100010	159,24
			2 control elements	FM3001D-A1100020	218,99
 		80x142x3	3 V&V , Inv auto or BPE in triangle	FM3003D-A1100031	292,22
			3 BP in line	FM3003D-A1100090	292,22
		80x142x3	4 control elements	FM3003D-A1100040	351,95
 		38x133x3	1 control element	FM3010D-A1100010	159,24
			2 control elements	FM3010D-A1100020	218,99



Prices for Ellipse and
Seattle toggles only

JMA lever:
25 € additional charge

Prices 04/22 in euros
without VAT

CRESTRON CONNECTED Collection

Specifications

General

- Collection designed for direct connection to the Crestnet bus
- Push buttons
- Protection index: IP20
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges and non-visible screws
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil...

Control mechanisms

- Push buttons Ø12 mm, 2 mm thick
- In the same finish as the covering plate
- Led feedback for each button
- Circuit board with integrated Crestron chip

Sizes & back boxes

Sizes (in mm)

80x115

Recommended back boxes

Mixed MELJAC, for dry partition and masonry


How to fix?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.



BVCert. 6012053

53




CRESTRON CONNECTED


Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
		80x115x3	1 BP	FO3001C-K2500410	361,00	379,05	433,20
		80x115x3	2 BP	FO3001C-K2500420	391,00	410,55	469,20
		80x115x3	3 BP	FO3001C-K2500430	421,00	442,05	505,20
		80x115x3	6 BP	FO3001C-K2500460	511,00	536,55	613,20

Prices 04/22 in euros
without VAT

Control elements examples with options



Fittings	Reference	Price from
2 BP	FO3001C-K2500420	391,00
Engraving 1 word	FZ9999Z-ZGR001M99	+ 15,00
Engraving 1 additional word	FZ9999Z-ZGR1001M99	+ 5,00



Fittings	Reference	Price from
3 BP	FO3001C-K2500430	421,00
Engraving 1 symbol	FZ9999Z-ZGR0001S99	+ 15,00
Engraving 1 additional symbol	FZ9999Z-ZGR1001S99	+ 5,00
Engraving 1 pictogram	FZ9999Z-ZGR0001P99	+ 22,00

SPOTLIGHT Collection

Specifications

General

- Recessed spotlights for false ceiling
- Protection index: IP54 CLASS II
- Products must be installed indoors in a false ceiling and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges, without screws
- Standard sizes: 58x58 mm and Ø58 mm
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.57)

Technical specifications

- Direct or asymmetric LED lighting
- Power: 230V - 5W
- Beam angle: 24°.
- Light color: warm white (2700K) or cool white (4000K)


How to fix?

The transformer is fixed in the false ceiling.
The cover plate snaps onto the spotlight.



BVCert. 6012053

55



SPOTLIGHTS

	Diagrams	Installation	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes
DIRECT LIGHTING								
SQUARE		Ceiling cut Ø40,7 mm	58x58x3	Mini Spot 2700K-warm	FB3013C-Z5000010			
						129,67	136,15	155,60
				Mini Spot 4000K-cold	FB3013C-Z5000020			
ROUND		Ceiling cut Ø40,7 mm	Ø58x3	Mini Spot 2700K-warm	FB3014C-Z5000010			
						132,53	139,16	159,04
				Mini Spot 4000K-cold	FB3014C-Z5000020			
ASYMMETRIC LIGHTING								
SQUARE		Ceiling cut Ø40,7 mm	58x58x3	Mini Spot 2700K-warm	FB3013C-Z5000011			
						129,67	136,15	155,60
				Mini Spot 4000K-cold	FB3013C-Z5000021			
ROUND		Ceiling cut Ø40,7 mm	Ø58x3	Mini Spot 2700K-warm	FB3014C-Z5000011			
						132,53	139,16	159,04
				Mini Spot 4000K-cold	FB3014C-Z5000021			

Direct lighting



Asymmetric lighting



Both models are available
with white or black interior,
to specify

Prices 04/22 in euros
without VAT

Materials & finishes

The collections CLASSIQUE, ELLIPSE, DAMIER, ELLIOT, CANNELÉE, SOLARIS, SOL with water-resistant cover, VOLUMES, SPOTS and LAMPES are made in brass. The finishes are obtained by electrolysis.

The PIERROT collection is in toughened extra white glass. The paint is applied at the rear and highlighted by the transparency and thickness of the glass.

The LIMOGES collections are in Limoges Porcelain.

Material & fittings	Finish & description
TF Brass Cold finishes With chrome-plated V&V, BP, BPE and Inv	Nickel Brossé (FA) <i>Stainless-steel aspect.</i>
	Nickel Brillant (FB) <i>Mirror effect, tone slightly hotter than chrome.</i>
	Microbillé Nickel (FC) <i>Sandy surface, matt varnish.</i>
	Chromé Mat (FD) <i>Linear brushing. Bluish grey hue.</i>
	Chromé Vif (FE) <i>Mirror with bluish sheens.</i>
	Canon de Fusil Anthracite (FF) <i>Brushing. Dark grey tone, tend toward brown.</i>
	Canon de Fusil Sablé (FH) <i>Granite aspect. Dark grey tone.</i>
TC Brass Warm finishes With golden V&V, BP, BPE and Inv	Bronze Médaille Clair (CA) <i>Golden bronze slightly brushed. Satiny varnish.</i>
	Bronze Médaille Clair Vernis Mat (CB) <i>Golden bronze slightly brushed. Matt varnish.</i>
	Bronze Médaille Allemand (CC) <i>Linear brushing, medium bronze.</i>
	Bronze Médaille Foncé (CD) <i>Dark brown hue.</i>
	Champagne (CE) <i>Brushed brass. Matt varnish.</i>
	Doré Patiné (CF) <i>Gold yellow hue. Slightly brushed and satiny varnish.</i>

Meljac can carry out special finishes on demand (example: different types of gilding, etc.) or customised.

Available finishes on collection Cannelée

Available finishes on collection Solaris

Material & fittings	Finish & description
TS Brass Special finishes With chrome or gilding controls	Nickel Noir Brillant (SA)
	Nickel Noir Mat (SB)
	Microbillé Chromé (SF)
	Argent Patiné (SE)
	Cuivre Patiné (SG)
	Cuivre Vieilli Bouchonné (SH)
	Cuivre Satiné (SI)
	Microbillé Canon de Fusil Anthracite (SM)
	Ebène (SQ)
	Canon de Fusil Belge (SP)
	Laiton Vieilli Ciré (SR)
	Étain Moyen (SS)
	Cuivre Antique (ST)
	Antique Brass NA (SU)
Epoxy Brass / Glass RAL coulours With chrome-plated or golden V&V, BP, BPE and Inv	Black Stone Chelsea (SV)
	Laiton Poli Verni (SX) <i>Gold aspect mirror effect.</i>
	RAL colours (RL)
	Selection in the RAL colour chart (K7 classic)
Limoges Porcelain With chrome-plated V&V, BP, BPE and Inv	Specify name and number
	White Glazed (LA) <i>Shiny surface</i>
	Other colours on request. Custom designs possible
	White Biscuit (LB) <i>Matt sandblasted surface</i>
	Custom designs possible

Care instructions

Metal-coated surfaces must be cleaned with a soft and dry duster only, no product.

All the products must be installed indoors.

sample box & tubes

Prices and delivery time upon request



The tube contains a selection of 10 finishes:
Nickel Brossé, Canon de Fusil Anthracite, Ébène, Nickel Noir Mat, Chromé Vif, Champagne, Bronze Médaille Clair, Bronze Médaille Allemand, Bronze Médaille Foncé, Laiton Poli Verni.



The box contains all the finishes.

*Actual products may differ from photos

Technical information - General

Direction of covering plate

All MELJAC products fix onto back boxes.

The screws are supplied in the same finish as plates.

By default, the axis of the cover plate screws is:

- vertical for control mechanisms (V&V, BP, BPE...)
- horizontal for sockets
- horizontal for 80x80 and Ø98 sizes

Colour of switches

On brass, the switches are:

- chrome-plated on cold and special finishes
- golden on warm finishes

Mini mechanisms (12V) are chrome-plated only

Switches are chrome-plated or golden for glass, porcelain and plexiglass.

Accessories in the same finish as the plate:

- rotary buttons for variation
- caps of mini push buttons
- square push buttons from DAMIER collection
- bell buttons of Dome, 1951, 1920 and rectangular block
- cable lead-out (cable outputs, markings)

Light label holder

Two shapes are available. Specify when ordering: rectangular or elliptical.

Position of indicators, engravings (simple, complex, light...) and light label holder

By default, MELJAC selects the most harmonious position for fittings on the covering plate.

Care instructions

Products must be installed indoors

Cleaning only with a soft and dry duster, no product

Standards

MELJAC creations are protected in France and abroad by the copyright, the registration of models and several patents.

Probate by the norms:

- NF EN 60669-1 + A1 for switches, push buttons and reversers.
- NF C 61314 for power sockets.

For probates in process, contact us.

Following the established standard NF C 15100, each plate has to be connected to earth.

Each pattern is outfitted with a patented system of connection to earth.

Stamping CE.

Protection index: IP20 except for Sol collection IP44 and water resistant spotlights IP54 CLASS II.

NB : For any special requirement, please clarify and / or provide a diagram when you place an order.

Options (engraving, toggle with coating)

These options are sold separately, so do not forget to specify them at the order.

Type of option	Designation	Reference	Price
 Engraving : - standard font: Helvetica uppercase height 4mm - Russian standard font: Arial Narrow 4 mm - word, figure, symbol, triangle = simple symbol  - pictogram = complex symbol - triangles = per pair, on both sides of the switch (standard position: up/down)	Engraving 1 word	FZ9999Z-ZGR0001M99	15,00
	Engraving 1 figure	FZ9999Z-ZGR0001C99	
	Engraving 1 symbol	FZ9999Z-ZGR0001S99	
	Engraving 2 triangles	FZ9999Z-ZGR0002T99	22,00
	Engraving 1 pictogram	FZ9999Z-ZGR0001P99	
Additional simple engraving on the same plate	Engraving 1 additional word	FZ9999Z-ZGR1001M99	5,00
	Engraving 1 additional figure	FZ9999Z-ZGR1001C99	
	Engraving 1 additional symbol	FZ9999Z-ZGR1001S99	
	Engraving 2 additional triangles	FZ9999Z-ZGR1002T99	
Additional complex engraving on the same plate	Engraving 1 additional pictogram	FZ9999Z-ZGR1001P99	6,00
 Laser engraving <i>(contact us for existing designs, we can also create new)</i>	Laser engraving 1 word	- - -	Please contact us
 Silkscreen printing (words, symbols, pictograms, photographs...)	Silkscreen printing	- - -	Please contact us
 Resin <i>(specify colour)</i>	Resin engraving	FZ9999Z-ZR00001M99	26,00
Additional resin on the same plate <i>(specify colour)</i>	Resin engraving 1 additional word	FZ9999Z-ZR10001M99	6,00
Mirror-polished oblong base In bright chrome or gold for Ellipse lever switches	Mirror-polished	FZPLVAZ-Z0000050ZZ	35,00
JMA lever switch subject to additional charge With oblong base	JMA lever	FZPLVAZ-Z0000040ZZ	25,00
Additional charge for mechanism processing Processing possible on request for V&V, BP and Inv switches.	Processed mechanisms	FZPLVAZ-Z0000010ZZ	from 15,00


Prices 04/22 in euros
without VAT

Example of options

LED indicator



Oblong light base
Ellipse collection



Luminous numbers



Indicator Q8 model



Oblong light base
Elliot collection



Light engraving



Options (LED indicators, back-lighting)

These options are sold separately, so do not forget to specify them at the order.

Type of option	Designation	Reference	Price
 LED Indicator - Ø 3 mm - LED colour : Warm white, Blue, Pure Green, Yellow Green, Yellow, Orange, Red White cold	LED D3 30V-1mA (automation)	FZLED0Z-Z00D303099	14,50
	LED D3 12V-1mA	FZLED1Z-Z00D301299	
	LED D3 24V-1mA	FZLED1Z-Z00D302499	
	LED D3 230V-1mA	FZLED2Z-Z00D323099	
Oblong light base LED light strip Several colours available Interior lighting of toggle base is not available in the Cannelée collection.	LED D3 12V-1mA for Ellipse collection	FZLED3Z-Z00D301299	18,32
	LED D3 24V-1mA for Ellipse collection	FZLED3Z-Z00D302499	
	LED D3 230V-1mA for Ellipse collection	FZLED3Z-Z00D323099	
Back-lighting of Damier buttons Illuminated button surround Several colours available	1 colour (12V 1mA)	FZLEDZ-Z001RT01299	24,24
	1 colour (24V 1mA)	FZLEDZ-Z001RT02499	
	1 colour (12V 1mA) night brightness	FZLEDZ-Z002RT01299	30,45
	1 colour (24V 1mA) night brightness	FZLEDZ-Z002RT02499	
	2 colours (12V 1mA)	FZLEDZ-Z003RT01299	33,70
	2 colours (24V 1mA)	FZLEDZ-Z003RT02499	
	2 colours (12V 1mA) night brightness	FZLEDZ-Z004RT01299	36,94
	2 colours (24V 1mA) night brightness	FZLEDZ-Z004RT02299	
Light engraving Light label holder	Light ribbon supplied in 24V- Available in green or red	FZ9999Z-ZGLU000199	89,00
	Additional light ribbon supplied in 24V- Available in green or red	FZ9999Z-ZGLU100199	22,16

Prices 04/22 in euros
without VAT

Mechanisms provided (since 2010)

Automatic connection
(by default)



Screw connection
(on request)



Former mechanism

Screw connection
only



Connection

Use rigid cable of section 1,5 mm² stripped on 13 mm for automatic connection or 10 mm for screw connection




V&V
wired in ON/OFF function



BP
wired in ON/OFF function



BPE
wired in two-way function



Inv Auto

Mechanisms controls, reading lamps

Type	Abbreviations	Symbole	Designation	Technical specifications
Switches <i>buttons and levers are chrome-plated on cold and special finishes, golden on warm finishes</i>	V&V		Toggle switch	Lever wired in one-way switch or two-way switch between 2 ignition points - automatic connection (default): 6A/250V - screw connection (on request): 6A/250V
	BP		Push button	Button wired in dimmer, one-way switch or two-way switch between 2 or more ignition points - automatic connection (default): 6A/250V - screw connection (on request): 2A/250V It MUST work with a teleruptor or a dimmer in the electrical equipment box
	BPE		Latching push button	Latching button wired in one-way switch or two-way switch between 2 ignition points - automatic connection ONLY: 6A/250V
	Inv Auto		Automatic Reverser	Three-position lever for roller shutters (2 positions + automatic return to 0) Possibility to control lighting - automatic connection (default): 6A/250V - screw connection (on request): 6A/250V Also available in manual for roller shutters only (manual return to 0)
	Mini BP		Mini push button	Button wired in dimmer, one-way switch or two-way switch between 2 or more ignition points - connection to weld: 12V It MUST work with a teleruptor or a dimmer in the electrical equipment box Silent mini BP, available on request
	BP carré		Square push button	Button wired in dimmer, one-way switch or two-way switch between 2 or more ignition points - screw connection ONLY: 12V or 230V It MUST work with a teleruptor or a dimmer in the electrical equipment box
	---		Motion detector	Automatic switch - 240V - Model LEGRAND 67026 Lighting control, manual by On/Off push buttons or automatic by infrared detection
Variation	Var E		Rotary dimmer	SCHNEIDER NU351618 Bluetooth Model, Universal. For LED, incandescent, halogen and transformer lamps.
				SCHNEIDER S520519 Model, Universal. For LED, incandescent, halogen and transformer lamps.
	Thermostat Leg 76720		Thermostat LEGRAND 76720	Room thermostat - Model LEGRAND 76720 Optional hot/cold selector available Suitable for controlling heated ceilings and underfloor heating from 5°C to 30°C with an accuracy of +/- 0,5°C
	---	---	Thermostat DANFOSS ECTEMP530	Electronic thermostat - Model DANFOSS ECTEMP530 Regulation of floor heating systems from 5°C to 45°C with an accuracy of +/- 0,2°C
Reading lamp	---	---	Reading lamp	Wall lamp : - Lighting (provided): 1,4 W LED supplied by a 350 mA electronic converter - Beam: 60° for Roseau model and 45°, 60° (default) or 110° for Tulipe model - Lampshade : straight or beveled cone for Tulipe model - Flexible arm : 25 cm with or without a 135° bend connection
			Tactile reading lamp	- Lighting : LED 3500 K, from 47,1 to 66,9 lumens - Variable luminous intensity - Flexible arm : 25 cm with or without bend a 135° connection


PC or PC Schuko : automatic connection



Use rigid cable of section 2,5 mm²
stripped on 13 mm




How to extract cable



Renovation

Since 2016, MELJAC products are fitted with
a new socket mechanism (France or Schuko)
that takes less space.



CLASSIQUE collection plates 80x80mm can be
mounted on most of the existing back boxes
in renovation.

Mechanisms outlets (high voltage, low voltage)

Type	Abbreviations	Symbole	Designation	Technical specifications
Power socket	PC		Power socket	French model 2x10/16A+T with child security Sockets are black by default, off-white on request
	Universal PC		Wonpro power socket	Wonpro R4S model. Universal socket 2x16A+T with child security Sockets are black by default, off-white on request Prior agreement from a control authority required
	PC Schuko		Schuko power socket	German / european model 2x10/16A+T with child security Sockets are black by default, off-white on request
	PC Bipasso		Bipasso power socket	Italian model 2x10/16A+T with child security
	PC Unel		Unel power socket (Schuko + Bipasso)	European model 2x10/16A+T with child security Sockets are black by default, off-white on request
Phone/Data Connection	RJ45 without PE		Data socket without white label holder	Model SCHNEIDER VDIB17726B01 Category 6 FTP socket
Connexion Audio/Vidéo	DIN base		Audio connector	3-pin female base (male plug on request)
	Speaker		Speaker socket	Model LEGRAND 67311 - Terminal with push/release connectors
	Flush RCA socket		Audio/video connector	D-serie female base
	HDMI		HD audio/video connector	Female/female connector
TV Connection	TV-FM-SAT		TV, radio and satellite antennas socket	
	TV outlet		TV antenna socket	
IT-connection	USB power		USB A power socket	- Simple : Model LEGRAND 77591 - 5V/1100mA - Double : Model LEGRAND 67462 - 5V/2400mA
			USB C power socket	- Simple : Model LEGRAND 77589 - Double : Model LEGRAND 67466
			USB A+C power socket	Model LEGRAND 67465
Others	---		Shaver socket	Model VIMAR 16290 It can work with european, american, british and australian plugs
	---		Cable outlet	Specify diameter
	---		Cable lead-out	Specify diameter (12mm max)

Back boxes

All MELJAC products are fixed onto back boxes. Screws are supplied in same finish as plates.

MELJAC designs its own back boxes and continues to develop new series in line with its ranges.

Type of back box	Back box overview	Back box colour	Reference	Compatible with...	Overall dimensions (L. x W. x D. in mm)	Price
Mixed MELJAC back boxes for CLASSIQUE, ELLIPSE, DAMIER and PIERROT collections Mixed models are used in masonry and dry partition with an additional kit to maintain back box into the wall.			CBBOICZ-Z080800299	Plates 80x80 and Ø98 mm	71x69x50 Screws interaxis 60 mm	3,96
			CBBOICZ-Z115800199	Plates 115x80 mm	97x69x50 Screws interaxis 88 mm	4,26
			CBBOICZ-Z142800199	Plates 142x80 mm	128x69x50 Screws interaxis 117 mm	4,63
			CBBOICZ-Z205800199	Plates 205x80 mm	190x69x50 Screws interaxis 180 mm	5,79
			CBBOICZ-Z267800199	Plates 267x80 mm	252x69x50 Screws interaxis 242 mm	7,63
Kit for back box adaptation in DRY PARTITION		---	CBBOICZ-Z0MELKIT99	Plates 80x80, Ø98, 115x80, 142x80, 205x80 and 267x80 mm		1,53
Partition to separate the high and low currents	---	---	CBAENT-MEL50500099	Plates 142x80, 205x80 and 267x80 mm		0,68
Narrow MELJAC back boxes for CLASSIQUE, ELLIPSE AND VOLUMES collections Designed for narrow plates, they may be used in masonry only and must be sealed.			CBBOICZ-Z091380199	Plates 38x91 mm and doorbell 1920	76x37x45 Screws interaxis 66 mm	3,90
			CBBOICZ-Z133380199	Plates 38x133 mm	118x37x45 Screws interaxis 108 mm	4,03
			CBBOICZ-Z175380199	Plates 38x175 mm	160x37x45 Screws interaxis 150 mm	4,16


L : length

W : width

D : depth

Prices 04/22 in euros
without VAT



Back boxes

Type of back box	Back box overview	Back box colour	Reference	Compatible with...	Overall dimensions (L. x W. x D. in mm)	Price
Back boxes for VOLUMES and CANNELÉE collections LEGRAND 80051, for dry partition only. LEGRAND 80052, for dry partition only. LEGRAND 89246, for masonry only, must be sealed.			CBBBOIL-8005100099	Oval, hexagonal and octagonal plates, Skate, Palet Plates 80x80 of the Cannelée collection	Ø 67xP.50 mm	2,51
			CBBBOIL-8005200099	Plates 151x80 of the Cannelée collection	Ø 67xP.50 mm	10,57
			CBBBOIL-8924600099	Plates Ø 56 mm and 56x56 mm, Macaroons, 1930, 1951, Dome, square and rectangular bell blocks	Ø 47xP.40 mm	7,45
Water-resistant MELJAC back boxes with installation template for SOL collection To install the products with water-resistant cover, installation templates corresponding to the final dimensions of the plates are provided. They are mounted on back boxes for masonry only and must be sealed. The templates allow perfect placement of the back box so that the plate lies flush with the floor.			CBBOISZ-Z10D100199 CBBOISZ-Z14D100199	Plates Ø 100x10 mm Plates Ø 100x14 mm	Ø 100x60 Ø 100x64	6,11
			CBBOISZ-Z10L100199 CBBOISZ-Z14L100199	Plates 100x100x10 mm Plates 100x100x14 mm	100x100x60 100x100x64	6,11
			CBBOISZ-Z10L180199 CBBOISZ-Z14L180199	Plates 180x100x10 mm Plates 180x100x14 mm	180x100x60 180x100x64	9,23
			CBBOISZ-Z10L180299 CBBOISZ-Z14L180299	Plates 180x200x10 mm Plates 180x200x14 mm	180x200x60 180x200x64	18,47

Renovation

Some models of CLASSIQUE and ELLIPSE collections are compatible with the existing standard back boxes (please contact us).
MELJAC also proposes bespoke products for an installation on other back boxes.

Prices 04/22 in euros
without VAT



* Example (other mechanisms on demand)

non-visible screws option

The screwless option adds a supplement corresponding to the price of the backplate that needs to be fixed to the back box.
This option is only available for the CLASSIQUE and ELLIPSE collections. It is not available for the other brass collections which are already screwless (DAMIER, ELLIOT, CANNELEE, SOL and VOLUMES) or for the collections made of other materials (PIERROT, PLEXIGLASS and LIMOGES).

Type of back box	Compatible with...	Reference	Cold finishes	Warm finishes	Special finishes
Mounting plates for MELJAC back boxes	Plates 80x80	AA3008Z-Z0001MOD	25,00	26,25	30,00
	Plates 80x115	AA3000Z-Z0001MOD	25,00	26,25	30,00
	Plates 80x142	AA3002Z-Z0001MOD	31,00	32,55	37,20
	Plates 205x80	AA3004Z-Z0003MOD	37,00	38,85	44,40
	Plates 267x80	AA3006Z-Z0004MOD	43,00	45,15	51,60
	Plates 38x91	- - -	25,00	26,25	30,00
	Plates 38x133	- - -	25,00	26,25	30,00
	Plates 38x175	- - -	31,00	32,55	37,20
Mounting plates for LEGRAND back boxes	Simple	AA3008Z-Z1001MOD	31,00	32,55	37,20
	Double	AA3025Z-Z0002MOD	41,00	43,05	49,20
	Triple	AA3031Z-Z0003MOD	51,00	53,55	61,20
	Quadruple	AA3038Z-Z0004MOD	61,00	64,05	73,20

*to be added to the price of the plate and back box

Prices 04/22 in euros
without VAT

Terms & conditions of sale

I. MAIN CLAUSE

All our sales are subject to these present main conditions which prevail over any purchase under conditions, except formal derogation written and signed by us.
They have been updated on 14th September 2011.

II . CONFIDENTIALITY

All designs, plans, drawings or documents which are given or sent by MELJAC remain its property ; in any case and for any reason, they cannot be transmitted to a third.

III. CONTRACT FORMATION

An order is only accepted if MELJAC receives a written order form with headed notepaper for companies or on free paper for private person, with name and signature from the buyer.

This order means the agreement to the Export Unit prices, valid during the order and also to the professional discounts which are granted to the buyer.

MELJAC will not accept **any modification or cancelling of the order after 48 hours**.

MELJAC will not take back any goods, except for a particular agreement between the buyer and MELJAC.

According to the craft method of manufacturing, **the delivery time** is given only as information: **around 4 to 6 weeks** for standard manufacture.

For each specific manufacturing, the delivery time will be studied individually.

Under these conditions, any delay penalty will not be accepted, except for particular cases and previous writing agreement.

IV. PROPERTY RESERVE

MELJAC keeps the property of sold goods up to the payment in full of the main and secondary price.

The non-payment from one falling due could land one in claim of goods from MELJAC.

V. PRICES - TERMS OF PAYMENT

The prices from MELJAC are Public prices in Euro valid during the indicated time period.

The shipping fees are not included in the price (prices are quoted in E.X.W (INCOTERM CCI 2000) : Ex Works).

MELJAC reserves itself the right to modify at anytime its prices according to the cost of the raw material.

Each definitive order should require one initial payment of 50% of the total order amount.

The balance is due before before shipment or at the pick-up of the goods according to the delivery terms defined in the order confirmation.

Any other terms of payment have to be written by MELJAC and undersigned the client.

The terms of payment have to be accepted by the order, on risk of delaying its process.

Any delay in the settlement of one previous order induces the blocking of the account and then all the shipments for the same client could be postponed up to the complete settlement of all the outstanding Export invoices.

Terms & conditions of sale

VI. GUARANTEE

MELJAC 's guarantee covers its products against any defect in design, material and/or workmanship for a period of 24 months under the following conditions:

- Any apparent defect must imperatively be reported to MELJAC upon receipt of the product ;
- Any malfunction must reveal or be immediately reported to Meljac within a maximum period of 7 days as from delivery, it being specified that the product must be used in accordance with its intended purpose and nature.

Upon expiry of the above deadlines, the buyer shall no longer be admitted to call on / put into play any guarantee. This period of 24 months runs from delivery date.

The customer shall be required to inform MELJAC by providing explanations/details on the alleged defect encountered, illustrated with photos. MELJAC may, if necessary, request that the product be returned into its premises for expertise/investigations.

It is understood that the above warranty is excluded in the following cases:

- (i) in the event of installation that does not comply with the rules/state of the art and/or Meljac's technical instructions (where such instructions exist) and in the event of abnormal, improper or inappropriate use of the product given its nature and/or contractual purpose;
- (ii) in the event, after delivery, of lack of/defective storage and/or misstorage, maintenance, conservation or custody required by the nature and/or contractual purpose of the product, in particular climatic conditions, hydrometric conditions, temperature, light, poorly protected warehouse (this list is not limitative);

The Customer also acknowledges being informed that surface treatments are likely to evolve over time according to the conditions referred to in subparagraph (ii) above. Such potential evolution is not guaranteed.

MELJAC's liability is expressly subject to the provisions and limitations defined above and can in no case be sought or engaged due to incidents and/or accidents caused to people or things in case of abnormal installation and / or use or installation or use that is not in accordance with the purpose or nature of our products. Our liability/guarantee is in any case financially limited to the amount (VAT excluded) of the product (s) or materials incriminated.

The above contractual guarantee shall in no way be construed as limiting the French legal guarantees.

VII. RESOLUTIVE CLAUSE WITH FULL RIGHT

In non-execution of their obligations by one or two parties, the contract ruled by the present general conditions of sale should be terminated with full right for the benefit of the other party, without prejudice of damages and interests which could be claimed by the declining party.

This termination will become operative 14 days after having sent a giving notice by registered mail by acknowledgment if it remains without reply.

VIII. ATTRIBUTION OF JURISDICTION

Each litigation regarding the conclusion, execution, interpretation of the contract sales terms which could not be resolved amicably, should be submitted to the exclusive competence of the Commercial Court of Paris, even in case of resort with guaranteed or with plurality of defendants.

IX. ACCEPTANCE AND OBJECTION

The present general conditions of sale constitute an element of contract.

Customers from MELJAC are considered to have accepted these conditions, except any reserve which are mentioned on the order.



MELJAC ■

Distributed by:

UNIFIT BV

www.unifit.nl

Showroom

ETC Design center Culemborg

Maandag van 10.00 tot 17.00

www.meljac.com



@maisonmeljac