

BALLON IS AN ALL-NEW, VERSATILE AND
ADJUSTABLE FAMILY OF A NEW, CREATIVELY
SHAPED ORGANIC DESIGN LANGUAGE, WITH
TASTEFUL TOUCHES OF WOOD IN THE TUNTO
FASHION.



Ballon pendant



GERMAN DESIGN AWARD SPECIAL 2019




Ballon pendant: special model L-model, 24k Gold frame, 110mm black panel, 250mm oak panel in the picture.

Ballon pendant

Collection 2019


MODEL OPTION SPECIFICATIONS

L-MODEL / S-MODEL



Adjustable panels: large 250 mm, small 110 mm

EXTENSION ROD




CANOPY MODELS

1-2 Unit Canopy






3 Units Canopy






TUNTO




Ballon Pendant 1 Unit



Ballon Pendant 2 Units



Ballon Pendant 3 Units



Ballon pendant


TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN

Frame, Canopy body and 110 mm panel colors





Black White

250 mm panel and Canopy cover colors and materials



Oak Walnut Black White


Wood Surface Finish: Lacquer



Canopy body

Canopy cover

Adjustable and removable panels, Panels rotate 360 degrees: Large 250 mm, Small 110 mm



Drivers / Built-in

350mA / 500 mA	DALI, PUSH DIM	LCM40DA
	0-10V / PWM	LCM40
	CASAMBI DIM	CAS

Rated Power	9-36 W	Kelvin	2700 K, 3000 K [standard]
	Voltage		220-240V 50/60 Hz, UL model 110-295V
Output	18-54 V 500 mA	CRI	85 Typ
Canopy	1-2 unit / 180mm x 40mm, 3 unit / 280mm x 40mm.	Package Size	500 x 500x 150 mm, Extension pieces packaged separately
Frame, Canopy color	Black RAL 9005 fine efekt, White RAL 9003 fine efekt	Package Weight	1,3-2 kg

INDOOR USE ONLY

NON-USER REPLACEABLE LIGHT SOURCE

IP20

