




Led<sub>120</sub>


Collection 2019

## LED<sub>120</sub> PENDANT

700 mm 2 x 16 W




1000 mm 2 x 23 W



1300 mm 2 x 31 W



1600 mm 2 x 36 W



### Drivers / External

DALI, PUSH DIM	(standard)	LCM40DA
CASAMBI DIM		CAS

### Other Drivers / External

0-10V / PWM		LCM40
TRIAC	*	PCD40
ANALOG DIM	*	PLM40

Led120 Pendant is an elegant and versatile light that suits spaces which benefit from both direct and indirect lighting. The light is directed upwards and downwards, creating a stylish, eye-catching atmosphere. Both light directions can be controlled separately. The ceiling casing has room for two power sources. The optional Casambi light control system adds versatility for using the light creatively.

Available in oak, ash or walnut and in black and white.

Die LED120 PENDANT ist eine elegante und vielseitige Hängeleuchte, die ideal zu Räumen passt, in denen sich eine direkte und indirekte Beleuchtung optimal ergänzen. Ihr Licht wird nach oben und unten abgegeben, was eine moderne, aufregende Atmosphäre erzeugt. Die jeweilige Lichtführung kann separat gesteuert werden. Das Deckengehäuse bietet Platz für zwei Stromquellen. Kombiniert mit dem Casambi-Lichtsteuerungssystem kann die LED120 PENDANT noch kreativer und flexibler eingesetzt werden.







Erhältlich in Eiche, Esche oder Nussbaum sowie schwarz oder weiß lackiert


TUNTO



Led<sub>120</sub>

## LED<sub>120</sub> FIX

200 mm	6 W		Built-in / non-dimmable
200 mm	6 W		External
400 mm	16 W		Built-in / non-dimmable
400 mm	16 W		External
700 mm	31 W		Built-in / non-dimmable
700 mm	31 W		External *



### Drivers / Built-in

Non-dimmable	LT2040
Non-dimmable (200mm size)	RACD06

### Drivers / External

DALI, PUSH DIM	(standard)	LCM40DA
CASAMBI DIM		CAS

### Other Drivers / External

0-10V / PWM		LCM40
TRIAC	*	PCD40
ANALOG DIM	*	PLM40


Led120 Fix is a sophisticated wall light that provides atmospheric indirect lighting for a wide variety of purposes. Similar to the Pendant model, the Fix model's light is directed both upwards and downwards. The Casambi light control system adds versatility for using the light creatively.

Available in oak, ash or walnut and in black and white.


Die LED120 FIX ist eine raffinierte Wandleuchte, die mit ihrem indirekten Licht für eine einzigartige Atmosphäre sorgt. Ähnlich wie bei dem Modell PENDANT ist die Lichtführung der LED120 FIX nach oben sowie nach unten gerichtet. Das Casambi-Lichtsteuerungssystem macht die Leuchte noch vielseitiger einsetzbar.

Erhältlich in Eiche, Esche oder Nussbaum sowie schwarz oder weiß lackiert.


FIX / External model



FIX / Built-in model




PENDANT / Power box model



Led<sub>120</sub>


TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN

Available colors and materials




Surface Finish Ash: White Oil wax / Oak, Walnut: Oil wax

Led<sub>120</sub> 1600 mm pendant lx



Led<sub>120</sub> 1600 mm pendant lx / measured 1.0 m on the table



Drivers

700 mA	DALI, PUSH DIM (standard)	LCM40DA
	CASAMBI DIM	CAS

Drivers / Built-in

700 mA	Non-dimmable	LT-2040
500 mA	Non-dimmable (200mm size)	RACD06

Other Drivers

700 mA	0-10V / PWM	LCM40
	TRIAC *	PCD40
	ANALOG DIM * (UL model)	PLM40

<b>Rated Power</b>	6-31 W, pendant 2 x 16-36W	<b>Kelvin</b>	2700 K, 3000 K (standard), 4000 K
<b>Voltage</b>	180-295V 50/60 Hz, UL model 110-295V	<b>Lumen</b>	200mm / 300 lm, 400 mm / 960 lm, 700 mm / 2190 lm, 1000m / 2640 lm, 1300mm / 3960 lm, 1600mm / 4320 lm
<b>Output</b>	18-54V, pendant 2 x 18-45V, 700 mA	<b>CRI</b>	93
<b>Cord Length</b>	Pendant, standard 2 m, transparent. FIX, standard 3m, Max 20m.	<b>Package Size</b>	130 x 110-200 x 300-1640 mm
<b>Power Box</b>	White ceiling cup 430 x 100 x 35mm, RAL 9003 fine efekt.	<b>Package Weight</b>	3,5-8 kg

INDOOR USE ONLY NON-USER REPLACEABLE LIGHT SOURCE IP20 CE